

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	62	accessing with profile with matching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L2	21	L1 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L3	11	L2 and identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L4	11	L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L5	377	identit\$4 with address with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L6	12534	709/217,225,227,228,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L7	33	L6 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L8	33	L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L9	0	L7s27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44

## EAST Search History

L10	36	SSP with authent\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L11	23	L10 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L12	23	L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L13	117	identit\$4 with IP with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L14	12534	709/217,225,227,228,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L15	7	L14 and L13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L16	7	L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L17	7	L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
L18	108	assign\$6 with range with telephone adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:45
L19	64	L18 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:45

## EAST Search History

L20	64	L19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:45
S1	38	((("20010023428") or ("20010138601") or ("5,602,907") or ("5,822,411") or ("5,828,737") or ("5,909,238") or ("5,946,670") or ("5,987,498") or ("6,016,509") or ("6,035,281") or ("6,141,684") or ("6,208,977") or ("6,282,573") or ("6,480,485") or ("6,611,821") or ("6,671,675") or ("6,728,266") or ("6,757,371")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 10:06
S2	270	identit\$4 with address with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S3	10847	retriev\$ with additional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:10
S4	6	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:08
S5	2	S4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:22
S6	69	identit\$4 with IP with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:09
S7	156	(identit\$4 or profile) with IP with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:09
S8	12	S7 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:10

## EAST Search History

S9	9	S8 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:19
S10	1	"6122357".pn. and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:25
S11	1	"6122357".pn. and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:29
S12	0	"6122357".pn. and computer adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:29
S13	0	"6122357".pn. and computer near3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:29
S14	1	"6122357".pn. and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:32
S15	1	"6122357".pn. and TCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:34
S16	9429	709/217,225,227,228,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S17	26	S16 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:34
S18	3	S16 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:34

## EAST Search History

S19	174	( "3911227"   "4313035"   "4317962"   "4371752"   "4551581"   "4582956"   "4585906"   "4602129"   "4625081"   "4661975"   "4680785"   "4759056"   "4843377"   "4876717"   "4899358"   "4899373"   "4961217"   "5165095"   "5170426"   "5206899"   "5243643"   "5247571"   "5263084"   "5274695"   "5309512"   "5315649"   "5327578"   "5329578"   "5333173"   "5414755"   "5422936"   "5430791"   "5465290"   "5497411"   "5502759"   "5511111"   "5515426"   "5544235"   "5557665"   "5566229"   "5572583"   "5586177"   "5611051"   "5623537"   "5636269"   "5659605"   "5661782"   "5661791"   "5666400"   "5675628"   "5701121"   "5719921"   "5724411"   "5729592"   "5761290"   "5802145"   "5809130"   "5818836"   "5825865"   "5830700"   "5864614"   "5872834"   "5894504"   "5914701"   "5924070"   "5930700"   "5949869"   "5953399"   "5978450"   "5991364"   "6038305"   "6067347"   "6101242"   "6104913"   "6122357"   "6160877"   "6167119"   "6195568"   "6317484"   "6404858"   "6438216"   "RE34735").PN. OR ("5978450"   "6038305"   "6067347"   "6101242"   "6104913"   "6122357"   "6167119"   "6404858"   "6704405").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 11:56
S20	43	accessing with profile with matching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:11
S21	19	S20 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:12
S22	10	S21 and identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:12

## EAST Search History

S23	87714	authenticat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 11:10
S24	2	"6122357".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 11:10
S25	1	S24 and authent\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 11:25
S26	33	SSP with authent\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 11:25
S27	22	S26 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 11:25
S28	299	identit\$4 with address with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S29	299	identit\$4 with address with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S30	11849	retriev\$ with additional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S31	6	S29 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S32	6	S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49

## EAST Search History

S33	2	S31 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S34	2	S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S35	85	identit\$4 with IP with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S36	85	S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S37	187	(identit\$4 or profile) with IP with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S38	187	S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S39	17	S37 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S40	17	S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S41	9	S39 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S42	9	S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49

## EAST Search History

S43	2	"6763468".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 12:11
S44	2	"20020049727"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 15:22
S45	2	S44 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 15:33
S46	1	S44 and "340"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 15:35
S47	1	S44 and identify\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09
S48	336	identit\$4 with address with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09
S49	12856	retriev\$ with additional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09
S50	7	S48 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09
S51	7	S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09
S52	215	(identit\$4 or profile) with IP with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09



## EAST Search History

S53	17	S52 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09
S54	17	S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09
S55	9	S53 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S56	9	S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S57	336	identit\$4 with address with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S58	12856	retriev\$ with additional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S59	7	S57 and S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S60	7	S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S61	7	S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S62	215	(identit\$4 or profile) with IP with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10

## EAST Search History

S63	17	S62 and S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S64	17	S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S65	100	identit\$4 with IP with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S66	100	S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S67	17	S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S68	11578	709/217,225,227,228,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:18
S69	100	identit\$4 with IP with network with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:18
S70	11578	709/217,225,227,228,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:18
S71	4	S70 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:18
S72	4	S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:18

## EAST Search History

S73	2	"6122357".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:21
S74	1	S73 and range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:22
S75	525	assign with range with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:22
S76	3850	assign\$6 with range with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:23
S77	2479	S76 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:23
S78	227	assign\$6 with range with number with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:23
S79	148	S78 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:27
S80	13	assign\$6 with range with number with network with location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:27
S81	5	S80 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:24
S82	6	assign\$6 with range with number with central adj office	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:28

## EAST Search History

S83	6	S82 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:29
S84	47	assign\$6 with range with number with (OE (office adj equipment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:30
S85	33	S84 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:32
S86	47	assign\$6 with range with number with ("OE" (office adj equipment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:31
S87	0	assign\$6 with range with number with office adj equipment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:31
S88	0	assign\$6 with range with number with office adj equipment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:32
S89	146	assign\$6 with range with telephone with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:32
S90	108	assign\$6 with range with telephone adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:32
S91	64	S90 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:33